



Release Note

Edgecore ECW5410-L Release v3.45.0000

Document # Edgecore_ECW5410-L_v3.45.0000_1.13-1.9700.2.3


Enhancement from v3.43.00_1.9-1.9293.2.33

Table of Contents

1	Feature Enhancement	3
1.1	Port Configuration	3
1.2	LLDP	3
1.3	Schedule Reboot Weekly	4
1.4	Support more than 8 Service Zones	4
1.5	Real Time Location Tracking System (RTLS)	4
1.6	Change the behavior of APs when APs' tunnel are disconnected from EWS.....	4
2	Issue Fixed	5
2.1	Brazil Daylight Saving Time	5
2.2	RTLS will work normally when AP is constructed CAPWAP tunnel with EWS-Series.....	5
3	Compatible Version for AP Management	5


1 Feature Enhancement

1.1 Port Configuration



Add Port Configuration page in System for configuring the VLAN ID to specific port.

1.2 LLDP



Add LLDP in Network Interface page of System.

TxInterval: Setting the interval for sending the packets.

TxHold: Setting the times of interval for sending the packets.

1.3 Schedule Reboot Weekly

URL:

`http://<AP_IP>/setScheduleReboot.cgi?enable={0 or 1}&time={hh:mm}&week={0~6 or *}`

Example:

`http://192.168.1.1/setScheduleReboot.cgi?enable=1&time=16:56&week=0`

enable: 0 = disable, 1 = enable

time: Set the time for rebooting.

week: 0 = Sunday, 1 = Monday, 2 = Tuesday, 3 = Wednesday, 4 = Thursday, 5 = Friday, 6 = Saturday, * = Everyday

1.4 Support more than 8 Service Zones

In this version, AP support more than 8 service zones.

1.5 Real Time Location Tracking System (RTLS)

When Enabling the RTLS and Advanced Tracking(Beta), removing the packets sent from the nearby APs which are deployed.

1.6 Change the behavior of APs when APs' tunnel are disconnected from EWS

When APs are construct split tunnels with EWS, there are two conditions as below:

1. Split tunnel is connected
 - User has been authenticated: User can connect to the Internet
 - User has not been authenticated: User needs to be redirected to WHG for authentication, and the user can connect to the Internet
 -
2. Split tunnel is disconnected
 - User has been authenticated: User can connect to the Internet
 - User has not been authenticated: User can not connect to the Internet

2 Issue Fixed

2.1 Brazil Daylight Saving Time

Fix daylight saving time in Brazil.

2.2 RTLS will work normally when AP is constructed CAPWAP tunnel with EWS-Series

RTLS packets will send to the server normally when AP is constructed CAPWAP tunnel with EWS-Series.

3 Compatible Version for AP Management

Compatible with EWS series v3.45.0000 and above.