



Release Note

Edgecore EWS5203 Release v3.98.0003

Document # Edgecore_EWS5203_ERN_v3.98.0003

Enhancement from v3.97.0002

Copyright Notification

Edgecore Networks Corporation

© Copyright 2023 Edgecore Networks Corporation.

The information contained herein is subject to change without notice. This document is for informational purposes only and does not set forth any warranty, expressed or implied, concerning any equipment, equipment feature, or service offered by Edgecore Networks Corporation. Edgecore Networks Corporation shall not be liable for technical or editorial errors or omissions contained herein.

Revision History

Date	Version	Author	Remark
2025/ 5 / 9	V1.0	Vincent Cheng	Release Note for v3.98.0003

Table of Contents

1	AP Management Compatibility.....	3
1.1	Compatible Versions for AP Management.....	3
2	Feature Enhancement.....	4
2.1	Partial support EAP112/EAP112-L/EAP112-H management	4
2.2	Support EAP111e management.....	4
2.3	Support open roaming config in template for 6G.....	4
3	Issue Fixed.....	5
3.1	Fix [EWS]"Venue type" doesn't follow "venue group" rules for selection in OpenRoaming	5
3.2	Fix change VAP setting in Legacy template will auto switch back to RfCardA:VAP1.....	5
3.3	Fix VEWS can't support EAP105 issue.....	5
3.4	Fix VEWS can not display the recorded value in Report	5
3.5	EAP104 can't apply controller template by IPv6	5
3.6	Update max power to 2.4G: 17 dBm, 5G: 23 dBm, 6G: 23 dBm in template for JP	5
3.7	Managing APs with more then 16 dynamic VLANs will get polling fail issue	5
3.8	Set static route by WAN2 is not working.	5

1 AP Management Compatibility

1.1 Compatible Versions for AP Management

AP type	LAPM	WAPM	Compatible version
OAP100	V	V	3.45.0000 or newer
OAP100e	V	V	3.45.0000 or newer
EAP100	V	V	3.45.0000 or newer
ECW100	V	V	3.45.0000 or newer
ECW5210-L	V	V	3.45.0000 or newer
ECW5211-L	V	V	3.45.0000 or newer
ECW5410-L	V	V	3.45.0000 or newer
ECW05210-L	V	V	3.45.0000 or newer
ECW05211-L	V	V	3.45.0000 or newer
ECW05213-L	V	V	3.45.0000 or newer
OAP101		V	12.4.1 or newer
OAP101e		V	12.4.1 or newer
OAP101-6E		V	12.4.1 or newer
OAP101e-6E		V	12.4.1 or newer
OAP103-BR		V	11.6.4 or newer
EAP101		V	11.2.0-795 or newer
EAP102		V	11.2.0-796 or newer
EAP102-Lite		V	11.2.0-796 or newer
EAP104		V	12.0.0 or newer
EAP105		V	12.6.0 or newer
EAP111		V	12.6.0 or newer
EAP111e		V	12.6.0 or newer
EAP112		V	12.6.5 or newer
EAP112-L		V	12.6.5 or newer
EAP112-H		V	12.6.5 or newer
SP-W2M-AC1200		V	7.0.0-2987 or newer
3rd Party		V	

2 Feature Enhancement

2.1 Partial support EAP112/EAP112-L/EAP112-H management

Only support management and WIFI 2.4G/5G config

2.2 Support EAP111e management

2.3 Support open roaming config in template for 6G

3 Issue Fixed

- 3.1 Fix [EWS]"Venue type" doesn't follow "venue group" rules for selection in OpenRoaming**
- 3.2 Fix change VAP setting in Legacy template will auto switch back to RFCardA:VAP1**
- 3.3 Fix VEWS can't support EAP105 issue**
- 3.4 Fix VEWS can not display the recorded value in Report**
- 3.5 EAP104 can't apply controller template by IPv6**
- 3.6 Update max power to 2.4G: 17 dBm, 5G: 23 dBm, 6G: 23 dBm in template for JP**
- 3.7 Managing APs with more then 16 dynamic VLANs will get polling fail issue**
- 3.8 Set static route by WAN2 is not working.**