

Release Notes MLTG-CN

Version: 1.3.0-00535-1e7fb2f

Enhanced from version 1.2.0-00510-e3f1721

Table of Content

1.	ecCLOUD Management for Terragraph Mode	2
	Support Iraq and Thailand Country Codes	
	Diagnostics Log Enhancement	
	GUI Modification	
	Issue Fixed	
	Known Issue	2

1. ecCLOUD Management for Terragraph Mode

MLTG-CN is able to be managed by eccloud from version 1.3.0. Cloud administrator can configure the topology of the MLTG network. Currently, only Terragraph mode MLTG-CN is supported on eccloud.

2. Support Iraq and Thailand Country Codes

Added "Iraq" and "Thailand" to the supported country list. For Iraq, only channel 2 is available. For Thailand, channel 1, 2, and 3 are supported.

3. Diagnostics Log Enhancement

To simplify the procedure of collecting information, the serial number of the device is added to "Summary.txt" in the diagnostics logs.

4. GUI Modification

Several GUI enhancements are included in version 1.3.0.

- "Uplink Port Role" is renamed as "PoE Port Role" to reduce confusion.
- "Management Port Settings" section will be hidden if "PoE Port Role" is "LAN Port".
- Tx Power in link status is now expressed as percentage.

5. Issue Fixed

• It will not trigger factory reset if the number of boot retries is greater than the threshold for bootbank switching. Bootbank switching and factory reset will never be triggered at the same time.

6. Known Issue

- Sometimes existing link is not shown on the link status page.
- In Point-to-point mode, after deleting Peer MAC address, the link will not be associated until manually rebooting the unit.